

EVO[®] External Wearliner Retrofit Kit



Installed outside conveyor transfer point skirtboards, [EVO[®] External Wearliner Retrofit Kit](#) is an economical upgrade that improves skirtboard sealing and prevents spillage. Wearliner can typically be installed without requiring work inside chute or interfering with existing chute supports.

EVO[®] External Wearliner can easily be installed on existing studs in applications already using MARTIN[®] APRON SEAL[™] skirting and clamps.

BENEFITS

Improves Sealing

Keep the burden of cargo away from sealing system.

Simple Installation

Wearliner plates mount to the outside of existing transfer point skirtboard, without interfering with existing supports.

Easy Adjustment

Jack screws provide precise adjustment of wearliner to reduce spillage.


Suits Cargo and Conditions

Available in 3/8 or 1/2 in. thick Brinell 400 or Brinell 500 abrasion-resistant plate. Fits conveyors with trough angles from flat to 35°. Standard length is 72 in. (1829 mm).

Improves Maintenance

Replacing worn external wearliner requires minimal welding and no chute entry.

Item	Part Number
External Wearliner Retrofit Kit	38481-XXXX



MARTIN ENGINEERING USA

One Martin Place
 Neponset, IL 61345-9766 USA
info@martin-eng.com
www.martin-eng.com